Subdivision Ordinance		Ordinance No. 09-07-38 -	Adopted July 7, 2009
	Annandia Diagrama & Ta	bloo	
	<u> Appendix – Diagrams &amp; Tal</u>	<u>oies</u>	
		Appen	div







Table 2.01-1: Responsible Officials, Initial Decision-Makers & Appellate Decision-Makers

Type of Application or Petition	Responsible City Official	Initial Decision-Maker	Appellate Decision-Maker	Further Appeal
Waiver of Right to 30-Day Action Section 3.03(e)	Director of Development Services	n/a	n/a	n/a
Extension of Plat Approval Section 4.02(j)	Director of Development Services	Director of Development Services	Planning & Zoning Commission	City Council
Preliminary Plat Section 4.02	Director of Development Services	Planning & Zoning Commission	City Council	n/a
Final Plat Section 4.03	Director of Development Services	Planning & Zoning Commission	City Council	n/a
Conveyance Plat Section 4.04	Director of Development Services	Planning & Zoning Commission	City Council	n/a
Minor Plat Section 4.05	Director of Development Services	Director of Development Services	Planning & Zoning Commission	City Council
Replat Section 4.07	Director of Development Services	Planning & Zoning Commission	City Council	n/a
Amending Plat Section 4.08	Director of Development Services	Director of Development Services	Planning & Zoning Commission	City Council
Plat Vacation Section 4.09	Director of Development Services	City Council	n/a	n/a
Construction Plans Section 5.01	Director of Engineering Services	Director of Engineering Services	n/a	n/a
Extension of Construction Plans Approval Section 5.01(h)	Director of Engineering Services	Director of Engineering Services	n/a	n/a
Construction Release Section 5.01(i)	Director of Engineering Services	Director of Engineering Services	n/a	n/a
Improvement Agreement Section 5.04	Director of Engineering Services	Director of Engineering Services	City Council	n/a

Type of Application or Petition	Responsible City Official	Initial Decision-Maker	Appellate Decision-Maker	Further Appeal
Minor Waiver Section 9.01	Director of Development Servicesor Director of Engineering Services (as applicable)	Director of Development Servicesor Director of Engineering Services (as applicable – see Table 9.01-1)	Planning & Zoning Commission (requires 4 votes to overrule initial decision)	City Council (requires 4 votes to overrule initial appeal decision)
<u>Major Waiver</u> Section 9.01	Director of Development Servicesor Director of Engineering Services (as applicable)	Planning & Zoning Commission or City Council (as applicable)	Planning & Zoning Commissionor City Council (as applicable; requires 4 votes to overrule initial decision)	City Council (requires 4 votes to overrule initial appeal decision)
Proportionality Appeal Section 9.02	Director of Engineering Services	City Council (with recommendation from Planning & Zoning Commission)	City Council (requires 4 votes to overrule initial decision)	n/a
Vested Rights Petition Section 9.03	Director of Development Servicesor Director of Engineering Services (as applicable)	Director of Development Servicesor Director of Engineering Servicesor Planning & Zoning Commission (as applicable)	City Council	n/a


#### Diagram 8.01-1: Median & Cross Access




### Diagram 8.03-1: Major Creeks - Map

# **City of Frisco - Major Creeks**

USGS National Hydrography Dataset - May 19, 2009









### <u>Diagram 8.03-2: Major Creek – Cross Section</u>

- 1 100-Year Floodplain
- (2) Erosion Hazard Setback
- (3) Linear Access (if required) or street







## Diagram 8.03-3: Streets Adjacent to Major Creeks



## Diagram 8.03-4: Cul-de-Sacs Adjacent to Major Creeks







# Diagram 8.03-5: Fencing Options for Lots Abutting Major Creeks





Table 8.06-1: Thoroughfare Screening Options

Thoroughfare Screening Option	Landscape Edge (minimum width)	Screening Wall/Fence Type	Trees/ Frontage (3" cal. min.)	Shrub Screen	Berms
Option 1 (Lots that back or side to the Thoroughfare) Diagram 8.06-1	Type A or B Thoroughfare: 10' Type C or D Thoroughfare: 15'	Continuous min. 6' ht. solid masonry wall (max. 8' ht.) (can be "staggered" or offset with landscape plantings)	One 3" cal. tree per 30' frontage	Not required	Not required (max. slope 3:1 if used)
Option 2 (Lots that are separated from the Thoroughfare by an alley) Diagram 8.06-2(a), 8.06-2(b), 8.06-2(c)	Type A or B Thoroughfare: 10' Type C or D Thoroughfare: 15'	<ul> <li>(a) Continuous min. 4' ht. (max. 8' ht.) solid masonry wall with min. 6' ht. solid evergreen shrub screen, or</li> <li>(b) Continuous min. 4' ht. (max. 8' ht.) ornamental metal fence with min. 6' ht. solid evergreen shrub screen, or</li> <li>(c) Continuous min. 6' ht. (max. 8' ht.) solid masonry wall (no shrub screen required)</li> </ul>	One 3" cal. tree per 30' frontage	Min. 6' ht. solid evergreen shrub screen at time of planting (not required if 6'-8' solid masonry wall is used)	Not required (max. slope 3:1 if used)
Option 3 (Lots that back or side to or are separated by an alley from the Thoroughfare) Diagram 8.06-3	Type A, B, C or D Thoroughfare: 25'	Min. 4' ht. (max. 6' ht.) ornamental metal fence	One 3" cal. tree per 30' frontage	Min. 6' ht. solid evergreen shrub screen at time of planting	Not required (max. slope 3:1 if used)
Option 4 (Required to be used at the bulb portion of a cul-de-sac where the cul-de-sac lots side onto an adjacent street) Diagram 8.06-4(a), 8.06-4(b)	Type A or B Thoroughfare: 10'  Type C or D Thoroughfare: 15'  Type E, F or G Thoroughfare: Not required (10' separation between rights-of-way is required)	All Types of Thoroughfares: A sidewalk centered on the common property line connecting the cul-de-sac sidewalk and adjacent street sidewalk through an opening in the fence/wall  Type A, B, C & D Thoroughfares: See Screening for Options 1, 2, or 3  Type E, F, or G Thoroughfares: Continuous 4'-8' ht. ornamental metal fence (cannot exceed ht. of adjacent/connecting walls or fences).	Six (6) 3" cal. trees evenly spaced within 150' centered on the common property line.	Min. 3' ht. evergreen shrub screen at time of planting, planted at approximately 5' on center within a distance of 150' centered on the common property line.	Not required (max. slope 3:1 if used)

BACK OR SIDE OF LOTS

#### Diagram 8.06-1: Thoroughfare Screening Option 1

- **(A)** Right-of-Way (R.O.W.)
- Landscape Edge -Type A or B Thoroughfare = 10ft. Type C or D Thoroughfare = 15ft.
- **©** 5ft. Wall Maintenance Easement (WME)
- Continuous 6ft. to 8ft. Solid Masonry Wall (can be "staggered" or off-set with landscape plantings). Columns 9ft. max with capstones.
- One 3 inch caliper tree per 30ft. of frontage.




#### PL WME to 8 CL 9 STREET PAVING 10' or 15' 5'-0" **(A)** <u>©</u> B


#### **OPTION 1**

### Diagram 8.06-2(a): Thoroughfare Screening Option 2(a)

- A Right-of-Way (R.O.W.)
- B Landscape Edge -Type A or B Thoroughfare = 10ft. Type C or D Thoroughfare = 15ft.
- Continuous 4ft. to 8ft. Solid Masonry Wall. Columns 9ft. max with capstones.
- One 3 inch caliper tree per 30ft. of frontage.
- 6ft. high solid evergreen shrub screen at time of planting (not required with 6'-8' masonry wall).





**OPTION 2a** 



### Diagram 8.06-2(b): Thoroughfare Screening Option 2(b)

- A Right-of-Way (R.O.W.)
- Landscape Edge -Type A or B Thoroughfare = 10ft. Type C or D Thoroughfare = 15ft.
- Continuous 4ft. to 8ft. Omamental Metal Fence. Columns 9ft. max with capstones.
- One 3 inch caliper tree per 30ft. of frontage.
- (E) 6ft. high solid evergreen shrub screen at time of planting.






## **OPTION 2b**

### Diagram 8.06-2(c): Thoroughfare Screening Option 2(c)


- A Right-of-Way (R.O.W.)
- B Landscape Edge -Type A or B Thoroughfare = 10ft. Type C or D Thoroughfare = 15ft.
- C Continuous 6ft. to 8ft. Solid Masonry Wall (can be "staggered" or off-set with landscape plantings). Columns 9ft. max with capstones.
- One 3 inch caliper tree per 30ft. of frontage.




**OPTION 2c** 

## Diagram 8.06-3: Thoroughfare Screening Option 3

- **(A)** Right-of-Way (R.O.W.)
- Landscape Edge -Type A, B, C, D Thoroughfares = 25ft. **B**
- 5ft. Wall Maintenance Easement (WME) (Not required if along alley).
- Continuous 4ft. to 6ft. Ornamental Metal Fence. Columns 9ft. max with
- One 3 inch caliper tree per 30ft. of frontage.
- 6ft. high solid evergreen shrub screen at time of planting.




(WME NOT REQUIRED IN AREAS WHERE ALLEY ABUTS THE LANDSCAPE EDGE) BACK OR SIDE OF LOTS OR AN ALLEY




## **OPTION 3**

## Diagram 8.06-4(a): Thoroughfare Screening Option 4(a)

- A Right-of-Way (R.O.W.)
- B Landscape Edge -Type A or B Thoroughfare = 10ft. Type C or D Thoroughfare = 15ft.
- © 5ft. Wall Maintenance Easement (WME)
- \*D Screening Wall or Fence to comply with Options 1, 2, or 3.
- © One 3 inch caliper tree per 30ft.
- \* Solid evergreen shrub to comply with Options 1, 2, or 3.
- G 20' Pedestrian Access Easement
- (H) Neighborhood Street Tree
  - \* Example:
    if choosing (Option 1) for item D
    Then
    (Option 1) must be chosen for item F.







#### **OPTION 4a**

### Diagram 8.06-4(b): Thoroughfare Screening Option 4(b)

- (A) Right-of-Way (R.O.W.)
- **B** 10ft. Landscape Easement
- **©** 20ft. Pedestrain Access Easement
- 0 Continuous 4ft. to 6ft. Omamental Metal Fence. Columns 9ft. max with
- 3ft. high solid evergreen shrub screen at time of planting. €
- **(E)** Six (6) 3in. cal. trees evenly spaced within 150 ft. centered on the common property line.
- **(G)** Neighborhood Street Tree





## **OPTION 4b**

## Diagram 8.09-1: Flag Lots









Diagram 8.09-2: Determining Lot Depth on an Irregular-Shaped Lot




## <u>Diagram 8.09-3: Lot Street Frontage – Curved Streets</u>




## <u>Diagram 8.09-4: Lot Street Frontage – Cul-de-Sac & Eyebrow Lots</u>




## Diagram 8.10-1: Centrally Located Amenity Center



## <u>Diagram 8.12-1: Access & Lot Orientation to Parks and/or Open Space</u>







# Table 9.01-1: Minor Waivers – Initial Decision-Makers & Appellate Decision-Makers

Type of Minor Waiver	Initial Decision- Maker	Appellate Decision- Maker	Further Appeal
Water Line Extension to Boundary of Development Section 8.02(d)(2)c.	Director of Engineering Services	Planning & Zoning Commission	City Council
Connection Onto City Sanitary Sewer System Section 8.02(e)(1)	Director of Engineering Services	Planning & Zoning Commission	City Council
Street Lighting Section 8.04(b)(11)	Director of Engineering Services	Planning & Zoning Commission	City Council
Requirement for Alleys Section 8.05	Director of Engineering Servicesand Director of Development Services	Planning & Zoning Commission	City Council
Side Lot Lines 90°/Radial to Street  Section 8.09(e)(1)	Director of Development Services	Planning & Zoning Commission	City Council
Lot Lines not Aligning with County, School District or Other Jurisdictional Boundary Section 8.09(e)(2)	Director of Development Services	Planning & Zoning Commission	City Council
Residential Lots Facing Similar Lots Section 8.09(g)(3)	Director of Development Services	Planning & Zoning Commission	City Council
Subdivision Naming Section 8.09(n)	Director of Development Services	Planning & Zoning Commission	City Council
Non-Residential Screening Adjacent to Park or Open Space Section 8.12(b)(4)	Director of Development Servicesand Director of Parks & Recreation	Planning & Zoning Commission	City Council

Ordinance No. 09-07-38 - Adopted July 7, 2009	Subdivision Ordinance FRISCO
(This page intentionally left blank.)	
Appendix Page A-24	